	Application No.	Applicant(s)	
Notice of Allowability	10/770,732	BOSSARD ET AL.	
	Examiner	Art Unit	
	Frank M. Lawrence	1724	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed February 15, 2006.			
2. The allowed claim(s) is/are <u>1-3, 5, 6, 8-11, 21 and 22 (renumbered as 1-11)</u> .			
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:			
1. Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of			
Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. Notice of References Cited (PTO-892)	5 □ Notice of Informal D	stant Application (DT)	2.450)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	5. Notice of Informal Pa		J-102)
_	 Interview Summary Paper No./Mail Date 		
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	8), 7. Examiner's Amendm		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	nt of Reasons for Allo	wance
	9.		

DETAILED ACTION

Claim Objections

1. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claim 21 (second instance) has been renumbered 22.

Allowable Subject Matter

- 2. Claims 1-3, 5, 6, 8-11, 21 and 22 are allowed.
- The following is an examiner's statement of reasons for allowance: Independent claim 1 3. has been amended to include the limitation of a second porous layer make of a hydrogen permeable material, wherein the solid layer is interposed between the first and second porous layers, which is an arrangement not disclosed in the prior art of record. Claim 21 is allowable because the prior art fails to suggest a motivation for using a first porous layer that has a pore size that varies as a function of distance from the solid layer. Regarding claim 22, the prior art fails to disclose the arrangement wherein the porous layer has multiple thick film layers of hydrogen permeable particles, and wherein each of the thick film layers has a different average particle size. The definitions of the terms "porous layer made from a hydrogen permeable material and "solid layer of a hydrogen permeable material" are taken from the specification and a hydrogen permeable material excludes a steel mesh because steel is not hydrogen permeable.

Art Unit: 1724

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank M. Lawrence whose telephone number is 571-272-1161. The examiner can normally be reached on Mon-Thurs 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on 571-272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Frank M. Lawrence Primary Examiner Art Unit 1724

Frank Laurence 3-12-06

fl